

 **nuova**
SIMONELLI[®]
The coffee machines you can trust.



APPRIA
Life.



ENG

Coffee machines for life.



APPIA *Life.*

APPIA LIFE XT
3 GROUPS



APPIA LIFE XT
2 GROUPS

XT SERIES

TIMER SERIES

APPIA LIFE TIMER
2 GROUPS



The family expands

APPIA LIFE
3 GROUPS



APPIA LIFE
1 GROUPS



APPIA LIFE TIMER
3 GROUPS



APPIA LIFE COMPACT
2 GROUPS



STANDARDSERIES

simple and... innovative



**ENERGY
SAVING
& COST-
EFFECTIVE**



Life.



RAISED GROUP ☕ ☒ ☒ ☒



LOW GROUP ☕



SINGLE GROUP ☕



COMPACT ↘ ↙



ALIGNED
CUP WARMER


STAINLESS STEEL
STEAM WAND



ENERGY
EFFICIENCY



LONG
LASTING
MACHINE



SMART

FUNCTIONAL ASPECTS

Appia Life has all the great features of the previous Appia, only better; push & pull levers, soft-touch portafilter, stainless steel drip tray, adjustable steel nozzles, the wide work surface, the water level indicator, the dual scale pressure gauge and the raised or standard height groups are all re-confirmed features of this incredible machine.

The remote control function is one of the newest features of the Appia Life. It helps the user control and manage the machine from a remote device.



AUTOMATIC
CLEANING

DIGITAL
CONTROL

TELEMETRY

PUSH & PULL
LEVERS

RAISED OR LOW
GROUP


EASY
CREAM
SYSTEM

DELICIOUS
COFFEE

USER
FRIENDLY

REVERSE
MIRROR

TOUGH





XTSERIES



TIMERSERIES



STANDARDSERIES




XT SERIES



VERSION		XT 2 GROUPS	XT 3 GROUPS
MODEL		Volumetric	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	11 lt	15 lt
	INSULATION	included	included
	PRESSURE SENSORS	included	included
	PID	included	included
GROUP	RAISED GROUPS	optional	optional
	LED LIGHTS	included	included
STEAM	EASYCREAM	optional	optional
	COOL TOUCH STEAM WAND	optional	optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
RAIL		optional	optional
TELEMETRY		optional	optional
DISPLAY		included	included
DIMENSION	W x D x H mm	784 x 544 x 500	1014 x 544 x 500
WEIGHT	NET/GROS KG	54/66	72/85
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N
	MAXIMUM POWER	3150 W	5200 W

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.



Hole size and distance
3 GROUPS


TIMER SERIES



VERSION		TIMER 2 GROUPS	TIMER 3 GROUPS
MODEL		Volumetric	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	11 lt	15 lt
	INSULATION	included	included
	PRESSURE SENSORS	not included	not included
	PID	not included	not included
GROUP	RAISED GROUPS	optional	optional
	LED LIGHTS	not included	not included
STEAM	EASYCREAM	optional	optional
	COOL TOUCH STEAM WAND	optional	optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
RAIL		optional	optional
TELEMETRY		optional	optional
DISPLAY		included	included
DIMENSION	W x D x H mm	784 x 544 x 500	1014 x 544 x 500
WEIGHT	NET/GROS KG	54/66	72/85
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N
	MAXIMUM POWER	3150 W	5200 W

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.



Hole size and distance
3 GROUPS


STANDARD SERIES



TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.

Hole size and distance
2 GROUPS



VERSION		2 GROUPS		3 GROUPS		
MODEL		Semi-automatic	Volumetric	Semi-automatic	Volumetric	
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	
	BOILER	TOTAL CAPACITY	11 lt	11 lt	15 lt	15 lt
		INSULATION	included	included	included	included
	PID	not included	not included	not included	not included	
GROUP	RAISED GROUPS	optional	optional	optional	optional	
STEAM	EASYCREAM		optional		optional	
HOT WATER	N. WAND	1	1	1	1	
	ECONOMIZER	optional	optional	optional	optional	
CUPWARMER	ON/OFF ELECTRIC		optional		optional	
RAIL		optional	optional	optional	optional	
TELEMETRY			optional		optional	
DIMENSION	W x D x H mm	784 x 544 x 500	784 x 544 x 500	1014 x 544 x 500	1014 x 544 x 500	
WEIGHT	NET/GROS KG	54/66	54/66	72/85	72/85	
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	
	MAXIMUM POWER	3150 W	3150 W	5200 W	5200 W	

S

STANDARD
SERIES

WHITE PEARL



BLACK




HEART RED



TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.

Hole size and distance
COMPACT



VERSION		COMPACT	
MODEL		Semi-automatic	Volumetric
BOILER	MATERIAL	stainless steel with ABS	stainless steel with ABS
	TOTAL CAPACITY	7,5 lt	7,5 lt
	INSULATION	included	included
	PID	not included	not included
GROUP	RAISED GROUPS	optional	optional
STEAM	EASYCREAM		optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
	CUPWARMER	ON/OFF ELECTRIC	optional
TELEMETRY			optional
DIMENSION	W x D x H mm	554 x 545 x 498	554 x 545 x 498
WEIGHT	NET/GROS KG	42,5/52,5	42,5/52,5
	VOLTAGE	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz
POWER	MAXIMUM POWER	2900 W [230 V] 1400 W [115 V]	2900 W [230 V] 1400 W [115 V]

S


STANDARD
SERIES



VERSION		1 GROUP	
MODEL		Semi-automatic	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	5 lt	5 lt
	INSULATION	included	included
	PID	not included	not included
GROUP	RAISED GROUPS	included	included
STEAM	EASYCREAM		optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
TELEMETRY			optional
DIMENSION	W x D x H mm	404 x 545 x 498	404 x 545 x 498
WEIGHT	NET/GROS KG	32,5/41	32,5/41
POWER	VOLTAGE	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz
	MAXIMUM POWER	1900 W [230 V] 1400 W [115 V]	1900 W [230 V] 1400 W [115 V]

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS


In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.



Hole size and distance
SINGLE GROUP

APPIA
Life.

APPIA LIFE XT
3 GROUPS



VOLUMETRIC

APPIA LIFE XT
2 GROUPS



VOLUMETRIC

APPIA LIFE TIMER
3 GROUPS



VOLUMETRIC

APPIA LIFE TIMER
2 GROUPS




VOLUMETRIC

COMPARISON SHEET

VERSION		XT 3 GROUPS	XT 2 GROUPS	TIMER 3 GROUPS	TIMER 2 GROUPS
MODEL		Volumetric	Volumetric	Volumetric	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	15 lt	11 lt	15 lt	11 lt
	INSULATION	included	included	included	included
	PRESSURE SENSORS	included	included	not included	not included
	PID	included	included	not included	not included
GROUP	RAISED GROUPS	optional	optional	optional	optional
	LED LIGHTS	included	included	not included	not included
STEAM	EASYCREAM	optional	optional	optional	optional
	COOL TOUCH STEAM WAND	optional	optional	optional	optional
HOT WATER	N. WAND	1	1	1	1
	ECONOMIZER	optional	optional	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional	optional	optional
RAIL		optional	optional	optional	optional
TELEMETRY		optional	optional	optional	optional
DISPLAY		included	included	included	included
DIMENSION	W x D x H mm	1014 x 544 x 500	784 x 544 x 500	1014 x 544 x 500	784 x 544 x 500
WEIGHT	NET/GROS KG	72/85	54/66	72/85	54/66
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N
	MAXIMUM POWER	5200 W	3150 W	5200 W	3150 W

STANDARD SERIES



VERSION		3 GROUPS		2 GROUPS		COMPACT		1 GROUP	
MODEL		Semi-automatic	Volumetric	Semi-automatic	Volumetric	Semi-automatic	Volumetric	Semi-automatic	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS
	BOILER	TOTAL CAPACITY	15 lt	15 lt	11 lt	11 lt	7,5 lt	7,5 lt	5 lt
	INSULATION	included	included	included	included	included	included	included	included
	PID	not included	not included	not included	not included	not included	not included	not included	not included
GROUP	RAISED GROUPS	optional	optional	optional	optional	optional	optional	included	included
STEAM	EASYCREAM		optional		optional		optional		optional
HOT WATER	N. WAND	1	1	1	1	1	1	1	1
	ECONOMIZER	optional	optional	optional	optional	optional	optional	optional	optional
CUPWARMER	ON/OFF ELECTRIC		optional		optional	optional	optional	optional	optional
RAIL		optional	optional	optional	optional				
TELEMETRY			optional		optional		optional		optional
DIMENSION	W x D x H mm	1014 x 544 x 500	1014 x 544 x 500	784 x 544 x 500	784 x 544 x 500	554 x 545 x 498	554 x 545 x 498	404 x 545 x 498	404 x 545 x 498
WEIGHT	NET/GROS KG	72/85	72/85	54/66	54/66	42,5/52,5	42,5/52,5	32,5/41	32,5/41
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz
	MAXIMUM POWER	5200 W	5200 W	3150 W	3150 W	2900 W [230 V] 1400 W [115 V]	2900 W [230 V] 1400 W [115 V]	1900 W [230 V] 1400 W [115 V]	1900 W [230 V] 1400 W [115 V]

APPRIA
Life.

Coffee machines for life.





